

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7913	OPC or (optical adj proximity adj (correction or treatment) adj (data or result))	US-PGPUB; USPAT	OR	ON	2005/12/05 15:57
L2	582	L1 near (check\$3 or inspect\$3 or evaluat\$3 or find\$3 or determin\$3 or perform\$3 or discover\$3 or measur\$3)	US-PGPUB; USPAT	OR	ON	2005/12/05 15:57
L3	3169	layout near (database or (information adj catalog) or fil\$3 or list\$3 or description\$1 or characterstic\$1)	US-PGPUB; USPAT	OR	ON	2005/12/05 15:57
L4	2882	L3 and (dimension\$1 or location\$1 or measurement\$1 or length\$1 or width\$1 or heighth\$1 or height)	US-PGPUB; USPAT	OR	ON	2005/12/05 15:57
L5	254	L1 near (pre or post or pre- or post- or before or after)	US-PGPUB; USPAT	OR	ON	2005/12/05 15:57
L6	40228	(critical or important crucial or violat\$4 or defect\$3) near (dimension\$1 or location\$1 or measurement\$1 or length\$1 or width\$1 or heighth\$1 or height)	US-PGPUB; USPAT	OR	ON	2005/12/05 16:07
L7	1362	L6 near (structure or shape aspect or configuration or construction or appearance or assembly or pattern)	US-PGPUB; USPAT	OR	ON	2005/12/05 15:57
L8	39	L2 and L4	US-PGPUB; USPAT	OR	ON	2005/12/05 15:57
L9	11	L8 and L5	US-PGPUB; USPAT	OR	ON	2005/12/05 15:57
L10	1	L8 and L7	US-PGPUB; USPAT	OR	ON	2005/12/05 15:57
L11	15	((("5705301") or ("5994009") or ("6189136") or ("6470489") or ("6370679") or ("6282696") or ("5858580") or ("6453452") or ("6453457") or ("6503666") or ("6505327") or ("6523162") or ("6523165") or ("6524752") or ("6539521") or ("5182718").pn")).PN.	US-PGPUB; USPAT	OR	OFF	2005/12/05 15:57
L12	50	L8 or L11	US-PGPUB; USPAT	OR	OFF	2005/12/05 15:57
L13	50	L9 or L10 or L11 or L12	US-PGPUB; USPAT	OR	ON	2005/12/05 15:57
L14	50	L13 and ((check\$3 or verifying or verification) adj3\ (OPC or opc or (optical adj proximity adj correction)))	US-PGPUB; USPAT	OR	ON	2005/12/05 15:57
L15	34	L14 and ((first or second or primary or secondary or ideal\$3 or correct\$3) near (layout\$1 or schematic\$1 or file\$1 or database\$1 or data))	US-PGPUB; USPAT	OR	ON	2005/12/05 15:57

L16	0	L15 and (simulat\$4 near (table\$1 or look-up-table or lut or LUT))	US-PGPUB; USPAT	OR	ON	2005/12/05 16:06
L17	0	L15 and (simulat\$4 near (table\$1 or look-up-table or lut or LUT))	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 16:06
L18	0	L14 and ((first or second or primary or secondary or ideal\$3 or correct\$3) near (layout\$1 or schematic\$1 or file\$1 or database\$1 or data))	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 16:06
L19	5287	(critical or important crucial or violat\$4 or defect\$3) near (dimension\$1 or location\$1 or measurement\$1 or length\$1 or width\$1 or heighth\$1 or height)	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 16:09
L20	0	L19 and L17	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 16:09
S1	3144	layout near (database or (information adj catalog) or fil\$3 or list\$3 or description\$1 or characterstic\$1)	US-PGPUB; USPAT	OR	ON	2005/11/22 14:15
S2	7869	OPC or (optical adj proximity adj (correction or treatment) adj (data or result))	US-PGPUB; USPAT	OR	ON	2005/11/29 09:38
S3	7888	OPC or (optical adj proximity adj (correction or treatment) adj (data or result))	US-PGPUB; USPAT	OR	ON	2005/11/29 09:51
S4	578	S3 near (check\$3 or inspect\$3 or evaluat\$3 or find\$3 or determin\$3 or perform\$3 or discover\$3 or measur\$3)	US-PGPUB; USPAT	OR	ON	2005/11/29 09:42
S5	3160	layout near (database or (information adj catalog) or fil\$3 or list\$3 or description\$1 or characterstic\$1)	US-PGPUB; USPAT	OR	ON	2005/11/29 09:43
S6	3160	S5	US-PGPUB; USPAT	OR	ON	2005/11/29 09:43
S7	2875	S5 and (dimension\$1 or location\$1 or measurement\$1 or length\$1 or width\$1 or heighth\$1 or height)	US-PGPUB; USPAT	OR	ON	2005/11/29 09:59
S8	253	S3 near (pre or post or pre- or post- or before or after)	US-PGPUB; USPAT	OR	ON	2005/11/29 10:01
S9	40147	(critical or important crucial or violat\$4 or defect\$3) near (dimension\$1 or location\$1 or measurement\$1 or length\$1 or width\$1 or heighth\$1 or height)	US-PGPUB; USPAT	OR	ON	2005/11/29 09:56
S10	14840	S9 same (structure or shape aspect or configuration or construction or appearance or assembly or pattern)	US-PGPUB; USPAT	OR	ON	2005/11/29 09:58

S11	1358	S9 near (structure or shape aspect or configuration or construction or appearance or assembly or pattern)	US-PGPUB; USPAT	OR	ON	2005/11/29 09:58
S12	39	S4 and S7	US-PGPUB; USPAT	OR	ON	2005/11/29 10:04
S13	11	S12 and S8	US-PGPUB; USPAT	OR	ON	2005/11/29 09:59
S14	1	S12 and S11	US-PGPUB; USPAT	OR	ON	2005/11/29 10:00
S16	15	((("5705301") or ("5994009") or ("6189136") or ("6470489") or ("6370679") or ("6282696") or ("5858580") or ("6453452") or ("6453457") or ("6503666") or ("6505327") or ("6523162") or ("6523165") or ("6524752") or ("6539521") or ("5182718").pn")).PN.	US-PGPUB; USPAT	OR	OFF	2005/11/29 10:11
S17	50	S12 or S16	US-PGPUB; USPAT	OR	OFF	2005/11/29 10:26
S18	50	S13 or S14 or S16 or S17	US-PGPUB; USPAT	OR	ON	2005/11/30 14:10
S19	1	("6453457").PN.	US-PGPUB; USPAT	OR	OFF	2005/11/30 11:42
S20	7888	OPC or (optical adj proximity adj (correction or treatment) adj (data or result))	US-PGPUB; USPAT	OR	ON	2005/11/30 14:11
S21	578	S20 near (check\$3 or inspect\$3 or evaluat\$3 or find\$3 or determin\$3 or perform\$3 or discover\$3 or measur\$3)	US-PGPUB; USPAT	OR	ON	2005/11/30 14:11
S22	3160	layout near (database or (information adj catalog) or fil\$3 or list\$3 or description\$1 or characteristic\$1)	US-PGPUB; USPAT	OR	ON	2005/11/30 14:11
S23	2875	S22 and (dimension\$1 or location\$1 or measurement\$1 or length\$1 or width\$1 or heighth\$1 or height)	US-PGPUB; USPAT	OR	ON	2005/11/30 14:11
S24	253	S20 near (pre or post or pre- or post- or before or after)	US-PGPUB; USPAT	OR	ON	2005/11/30 14:11
S25	40147	(critical or important crucial or violat\$4 or defect\$3) near (dimension\$1 or location\$1 or measurement\$1 or length\$1 or width\$1 or heighth\$1 or height)	US-PGPUB; USPAT	OR	ON	2005/11/30 14:11
S26	1358	S25 near (structure or shape aspect or configuration or construction or appearance or assembly or pattern)	US-PGPUB; USPAT	OR	ON	2005/11/30 14:11
S27	39	S21 and S23	US-PGPUB; USPAT	OR	ON	2005/11/30 14:11
S28	11	S27 and S24	US-PGPUB; USPAT	OR	ON	2005/11/30 14:11

S29	1	S27 and S26	US-PGPUB; USPAT	OR	ON	2005/11/30 14:11
S30	15	((("5705301") or ("5994009") or ("6189136") or ("6470489") or ("6370679") or ("6282696") or ("5858580") or ("6453452") or ("6453457") or ("6503666") or ("6505327") or ("6523162") or ("6523165") or ("6524752") or ("6539521") or ("5182718).pn")).PN.	US-PGPUB; USPAT	OR	OFF	2005/11/30 14:11
S31	50	S27 or S30	US-PGPUB; USPAT	OR	OFF	2005/11/30 14:11
S32	50	S28 or S29 or S30 or S31	US-PGPUB; USPAT	OR	ON	2005/11/30 14:11
S33	10	S32 and ((first or second or last or next) near (structur\$2 or polygon\$1 or dimension\$1))	US-PGPUB; USPAT	OR	ON	2005/11/30 16:44
S34	4	S33 and (not (phase adj shift))	US-PGPUB; USPAT	OR	ON	2005/11/30 16:50
S35	0	S34 and ((optical adj proximity correction\$1) near (chang\$3 or reduc\$4 or increas\$3) near (CD or (critical near dimension) or featur\$2 or dimension or length or width))	US-PGPUB; USPAT	OR	ON	2005/11/30 16:52
S36	0	S32 and ((optical adj proximity correction\$1) near (chang\$3 or reduc\$4 or increas\$3) near (CD or (critical near dimension) or featur\$2 or dimension or length or width))	US-PGPUB; USPAT	OR	ON	2005/11/30 16:52
S37	0	S32 and (((optical adj proximity correction\$1) or OPC) near (chang\$3 or reduc\$4 or increas\$3) near (CD or (critical near dimension) or featur\$2 or dimension or length or width))	US-PGPUB; USPAT	OR	ON	2005/11/30 16:53
S38	0	S32 and (((optical adj proximity correction\$1) or OPC) near ((chang\$3 or reduc\$4 or increas\$3) near (CD or (critical near dimension) or featur\$2 or dimension or length or width)))	US-PGPUB; USPAT	OR	ON	2005/11/30 16:54
S39	0	S32 and (((optical adj proximity adj correction\$1) or OPC) near ((chang\$3 or reduc\$4 or increas\$3) near (CD or (critical near dimension) or featur\$2 or dimension or length or width)))	US-PGPUB; USPAT	OR	ON	2005/11/30 16:54
S40	5	S32 and (((optical adj proximity adj correction\$1) or OPC) same ((measur\$3 or determin\$3 or calculat\$3) near (dimension or width or length or edg\$3 or segment\$4)))	US-PGPUB; USPAT	OR	ON	2005/11/30 17:00

S41	33	S32 and ((optical adj proximity adj correction) and ((dimension or length\$1 or width\$1 or segment\$1 or edge) near (chang\$3 or less or more or large\$2 or small\$3 or bigg\$3 or increas\$3 or decreas\$3)))	US-PGPUB; USPAT	OR	ON	2005/11/30 17:50
S42	9	S32 and ((check\$3 or verifying or verification) near (OPC or opc or (optical adj proximity adj correction))))	US-PGPUB; USPAT	OR	ON	2005/11/30 17:51
S43	50	S32 and ((check\$3 or verifying or verification) adj3\ (OPC or opc or (optical adj proximity adj correction))))	US-PGPUB; USPAT	OR	ON	2005/12/01 15:03
S45	3	S32 and ((check\$3 or verifying or verification) adj (OPC or opc or (optical adj proximity adj correction))))	US-PGPUB; USPAT	OR	ON	2005/12/01 10:46
S46	7913	OPC or (optical adj proximity adj (correction or treatment) adj (data or result))	US-PGPUB; USPAT	OR	ON	2005/12/01 09:18
S47	582	S46 near (check\$3 or inspect\$3 or evaluat\$3 or find\$3 or determin\$3 or perform\$3 or discover\$3 or measur\$3)	US-PGPUB; USPAT	OR	ON	2005/12/01 09:18
S48	3169	layout near (database or (information adj catalog) or fil\$3 or list\$3 or description\$1 or characterstic\$1)	US-PGPUB; USPAT	OR	ON	2005/12/01 09:18
S49	2882	S48 and (dimension\$1 or location\$1 or measurement\$1 or length\$1 or width\$1 or heighth\$1 or height)	US-PGPUB; USPAT	OR	ON	2005/12/01 09:18
S50	254	S46 near (pre or post or pre- or post- or before or after)	US-PGPUB; USPAT	OR	ON	2005/12/01 09:18
S51	40228	(critical or important crucial or violat\$4 or defect\$3) near (dimension\$1 or location\$1 or measurement\$1 or length\$1 or width\$1 or heighth\$1 or height)	US-PGPUB; USPAT	OR	ON	2005/12/01 09:18
S52	1362	S51 near (structure or shape aspect or configuration or construction or appearance or assembly or pattern)	US-PGPUB; USPAT	OR	ON	2005/12/01 09:18
S53	39	S47 and S49	US-PGPUB; USPAT	OR	ON	2005/12/01 09:18
S54	11	S53 and S50	US-PGPUB; USPAT	OR	ON	2005/12/01 09:18
S55	1	S53 and S52	US-PGPUB; USPAT	OR	ON	2005/12/01 09:18

S56	15	((("5705301") or ("5994009") or ("6189136") or ("6470489") or ("6370679") or ("6282696") or ("5858580") or ("6453452") or ("6453457") or ("6503666") or ("6505327") or ("6523162") or ("6523165") or ("6524752") or ("6539521") or ("5182718").pn")).PN.	US-PGPUB; USPAT	OR	OFF	2005/12/01 09:18
S57	50	S53 or S56	US-PGPUB; USPAT	OR	OFF	2005/12/01 09:18
S58	50	S54 or S55 or S56 or S57	US-PGPUB; USPAT	OR	ON	2005/12/01 09:18
S59	8	S58 and ((check\$3 or verifying or verification) adj3 (OPC or opc or (optical adj proximity adj correction)))	US-PGPUB; USPAT	OR	ON	2005/12/01 15:08
S60	1	("6757645").PN.	US-PGPUB; USPAT	OR	OFF	2005/12/01 10:46
S61	7913	OPC or (optical adj proximity adj (correction or treatment) adj (data or result))	US-PGPUB; USPAT	OR	ON	2005/12/01 15:07
S62	582	S61 near (check\$3 or inspect\$3 or evaluat\$3 or find\$3 or determin\$3 or perform\$3 or discover\$3 or measur\$3)	US-PGPUB; USPAT	OR	ON	2005/12/01 15:07
S63	3169	layout near (database or (information adj catalog) or fil\$3 or list\$3 or description\$1 or characterstic\$1)	US-PGPUB; USPAT	OR	ON	2005/12/01 15:07
S64	2882	S63 and (dimension\$1 or location\$1 or measurement\$1 or length\$1 or width\$1 or heighth\$1 or height)	US-PGPUB; USPAT	OR	ON	2005/12/01 15:07
S65	254	S61 near (pre or post or pre- or post- or before or after)	US-PGPUB; USPAT	OR	ON	2005/12/01 15:07
S66	40228	(critical or important crucial or violat\$4 or defect\$3) near (dimension\$1 or location\$1 or measurement\$1 or length\$1 or width\$1 or heighth\$1 or height)	US-PGPUB; USPAT	OR	ON	2005/12/01 15:07
S67	1362	S66 near (structure or shape aspect or configuration or construction or appearance or assembly or pattern)	US-PGPUB; USPAT	OR	ON	2005/12/01 15:07
S68	39	S62 and S64	US-PGPUB; USPAT	OR	ON	2005/12/01 15:07
S69	11	S68 and S65	US-PGPUB; USPAT	OR	ON	2005/12/01 15:07
S70	1	S68 and S67	US-PGPUB; USPAT	OR	ON	2005/12/01 15:07

S71	15	((("5705301") or ("5994009") or ("6189136") or ("6470489") or ("6370679") or ("6282696") or ("5858580") or ("6453452") or ("6453457") or ("6503666") or ("6505327") or ("6523162") or ("6523165") or ("6524752") or ("6539521") or ("5182718").pn")).PN.	US-PGPUB; USPAT	OR	OFF	2005/12/01 15:07
S72	50	S68 or S71	US-PGPUB; USPAT	OR	OFF	2005/12/01 15:07
S73	50	S69 or S70 or S71 or S72	US-PGPUB; USPAT	OR	ON	2005/12/01 15:07
S74	50	S73 and ((check\$3 or verifying or verification) adj3\ (OPC or opc or (optical adj proximity adj correction)))	US-PGPUB; USPAT	OR	ON	2005/12/01 15:07
S75	34	S74 and ((first or second or primary or secondary or ideal\$3 or correct\$3) near (layout\$1 or schematic\$1 or file\$1 or database\$1 or data))	US-PGPUB; USPAT	OR	ON	2005/12/01 15:07
S76	7913	OPC or (optical adj proximity adj (correction or treatment) adj (data or result))	US-PGPUB; USPAT	OR	ON	2005/12/01 15:08
S77	582	S76 near (check\$3 or inspect\$3 or evaluat\$3 or find\$3 or determin\$3 or perform\$3 or discover\$3 or measur\$3)	US-PGPUB; USPAT	OR	ON	2005/12/01 15:08
S78	3169	layout near (database or (information adj catalog) or fil\$3 or list\$3 or description\$1 or characterstic\$1)	US-PGPUB; USPAT	OR	ON	2005/12/01 15:08
S79	2882	S78 and (dimension\$1 or location\$1 or measurement\$1 or length\$1 or width\$1 or heighth\$1 or height)	US-PGPUB; USPAT	OR	ON	2005/12/01 15:08
S80	254	S76 near (pre or post or pre- or post- or before or after)	US-PGPUB; USPAT	OR	ON	2005/12/01 15:08
S81	40228	(critical or important crucial or violat\$4 or defect\$3) near (dimension\$1 or location\$1 or measurement\$1 or length\$1 or width\$1 or heighth\$1 or height)	US-PGPUB; USPAT	OR	ON	2005/12/01 15:08
S82	1362	S81 near (structure or shape aspect or configuration or construction or appearance or assembly or pattern)	US-PGPUB; USPAT	OR	ON	2005/12/01 15:08
S83	39	S77 and S79	US-PGPUB; USPAT	OR	ON	2005/12/01 15:08
S84	11	S83 and S80	US-PGPUB; USPAT	OR	ON	2005/12/01 15:08
S85	1	S83 and S82	US-PGPUB; USPAT	OR	ON	2005/12/01 15:08

S86	15	((("5705301") or ("5994009") or ("6189136") or ("6470489") or ("6370679") or ("6282696") or ("5858580") or ("6453452") or ("6453457") or ("6503666") or ("6505327") or ("6523162") or ("6523165") or ("6524752") or ("6539521") or ("5182718).pn")).PN.	US-PGPUB; USPAT	OR	OFF	2005/12/01 15:08
S87	50	S83 or S86	US-PGPUB; USPAT	OR	OFF	2005/12/01 15:08
S88	50	S84 or S85 or S86 or S87	US-PGPUB; USPAT	OR	ON	2005/12/01 15:08
S89	8	S88 and ((check\$3 or verifying or verification) adj3 (OPC or opc or (optical adj proximity adj correction)))	US-PGPUB; USPAT	OR	ON	2005/12/01 15:08
S90	6	S75 and S89	US-PGPUB; USPAT	OR	ON	2005/12/05 14:47
S91	15	((("5705301") or ("5994009") or ("6189136") or ("6470489") or ("6370679") or ("6282696") or ("5858580") or ("6453452") or ("6453457") or ("6503666") or ("6505327") or ("6523162") or ("6523165") or ("6524752") or ("6539521") or ("5182718).pn")).PN.	US-PGPUB; USPAT	OR	OFF	2005/12/02 15:57
S92	7913	OPC or (optical adj proximity adj (correction or treatment) adj (data or result))	US-PGPUB; USPAT	OR	ON	2005/12/05 14:47
S93	582	S92 near (check\$3 or inspect\$3 or evaluat\$3 or find\$3 or determin\$3 or perform\$3 or discover\$3 or measur\$3)	US-PGPUB; USPAT	OR	ON	2005/12/05 14:47
S94	3169	layout near (database or (information adj catalog) or fil\$3 or list\$3 or description\$1 or characterstic\$1)	US-PGPUB; USPAT	OR	ON	2005/12/05 14:47
S95	2882	S94 and (dimension\$1 or location\$1 or measurement\$1 or length\$1 or width\$1 or heighth\$1 or height)	US-PGPUB; USPAT	OR	ON	2005/12/05 14:47
S96	254	S92 near (pre or post or pre- or post- or before or after)	US-PGPUB; USPAT	OR	ON	2005/12/05 14:47
S97	40228	(critical or important crucial or violat\$4 or defect\$3) near (dimension\$1 or location\$1 or measurement\$1 or length\$1 or width\$1 or heighth\$1 or height)	US-PGPUB; USPAT	OR	ON	2005/12/05 14:47
S98	1362	S97 near (structure or shape aspect or configuration or construction or appearance or assembly or pattern)	US-PGPUB; USPAT	OR	ON	2005/12/05 14:47
S99	39	S93 and S95	US-PGPUB; USPAT	OR	ON	2005/12/05 14:47

S10 0	11	S99 and S96	US-PGPUB; USPAT	OR	ON	2005/12/05 14:47
S10 1	1	S99 and S98	US-PGPUB; USPAT	OR	ON	2005/12/05 14:47
S10 2	15	((("5705301") or ("5994009") or ("6189136") or ("6470489") or ("6370679") or ("6282696") or ("5858580") or ("6453452") or ("6453457") or ("6503666") or ("6505327") or ("6523162") or ("6523165") or ("6524752") or ("6539521") or ("5182718).pn")).PN.	US-PGPUB; USPAT	OR	OFF	2005/12/05 14:47
S10 3	50	S99 or S102	US-PGPUB; USPAT	OR	OFF	2005/12/05 14:47
S10 4	50	S100 or S101 or S102 or S103	US-PGPUB; USPAT	OR	ON	2005/12/05 14:47
S10 5	50	S104 and ((check\$3 or verifying or verification) adj3\ (OPC or opc or (optical adj proximity adj correction)))	US-PGPUB; USPAT	OR	ON	2005/12/05 14:47
S10 6	34	S105 and ((first or second or primary or secondary or ideal\$3 or correct\$3) near (layout\$1 or schematic\$1 or file\$1 or database\$1 or data))	US-PGPUB; USPAT	OR	ON	2005/12/05 16:06
S10 7	7913	OPC or (optical adj proximity adj (correction or treatment) adj (data or result))	US-PGPUB; USPAT	OR	ON	2005/12/05 14:47
S10 8	582	S107 near (check\$3 or inspect\$3 or evaluat\$3 or find\$3 or determin\$3 or perform\$3 or discover\$3 or measur\$3)	US-PGPUB; USPAT	OR	ON	2005/12/05 14:47
S10 9	3169	layout near (database or (information adj catalog) or fil\$3 or list\$3 or description\$1 or characterstic\$1)	US-PGPUB; USPAT	OR	ON	2005/12/05 14:47
S11 0	2882	S109 and (dimension\$1 or location\$1 or measurement\$1 or length\$1 or width\$1 or heighth\$1 or height)	US-PGPUB; USPAT	OR	ON	2005/12/05 14:47
S11 1	254	S107 near (pre or post or pre- or post- or before or after)	US-PGPUB; USPAT	OR	ON	2005/12/05 14:47
S11 2	40228	(critical or important crucial or violat\$4 or defect\$3) near (dimension\$1 or location\$1 or measurement\$1 or length\$1 or width\$1 or heighth\$1 or height)	US-PGPUB; USPAT	OR	ON	2005/12/05 14:47
S11 3	1362	S112 near (structure or shape aspect or configuration or construction or appearance or assembly or pattern)	US-PGPUB; USPAT	OR	ON	2005/12/05 14:47
S11 4	39	S108 and S110	US-PGPUB; USPAT	OR	ON	2005/12/05 14:47
S11 5	11	S114 and S111	US-PGPUB; USPAT	OR	ON	2005/12/05 14:47

S11 6	1	S114 and S113	US-PGPUB; USPAT	OR	ON	2005/12/05 14:47
S11 7	15	((("5705301") or ("5994009") or ("6189136") or ("6470489") or ("6370679") or ("6282696") or ("5858580") or ("6453452") or ("6453457") or ("6503666") or ("6505327") or ("6523162") or ("6523165") or ("6524752") or ("6539521") or ("5182718").pn")).PN.	US-PGPUB; USPAT	OR	OFF	2005/12/05 14:47
S11 8	50	S114 or S117	US-PGPUB; USPAT	OR	OFF	2005/12/05 14:47
S11 9	50	S115 or S116 or S117 or S118	US-PGPUB; USPAT	OR	ON	2005/12/05 14:47
S12 0	8	S119 and ((check\$3 or verifying or verification) adj3 (OPC or opc or (optical adj proximity adj correction)))	US-PGPUB; USPAT	OR	ON	2005/12/05 14:47
S12 1	6	S106 and S120	US-PGPUB; USPAT	OR	ON	2005/12/05 14:47
S12 2	1	S121 and (table or look-up-table or LUT)	US-PGPUB; USPAT	OR	ON	2005/12/05 14:48